



## SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

### GLB Phosfight Plus

Version 2.5

Revision Date 2021.09.23

Print Date 2022.01.20

#### SECTION 1. IDENTIFICATION

Product name : GLB Phosfight Plus

##### Manufacturer or supplier's details

Company : Innovative Water Care, LLC  
1400 Bluegrass Lakes Parkway  
Alpharetta, GA  
30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)  
E-mail address : sds@sigurawater.com  
Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

##### Recommended use of the chemical and restrictions on use

Recommended use : Water treatment chemical

#### SECTION 2. HAZARDS IDENTIFICATION

##### GHS Classification

Corrosive to metals : Category 1  
Skin corrosion : Category 1B  
Serious eye damage : Category 1  
Skin sensitisation : Category 1

##### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**

## GLB Phosfight Plus

---

P234 Keep only in original container.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
 P390 Absorb spillage to prevent material damage.  
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
**Storage:**  
 P405 Store locked up.  
 P406 Store in corrosive resistant container with a resistant inner liner.  
**Disposal:**  
 P501 Dispose of contents/container in accordance with local regulation.

### Other hazards

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

### Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Aluminium chloride	7446-70-0	10 - 15
Lanthanum chloride, anhydrous	10099-58-8	10 - 15
Sodium hydroxide	1310-73-2	0.5 - 1

---

## SECTION 4. FIRST AID MEASURES

If inhaled : IF INHALED: Remove individual to fresh air. Seek medical

## GLB Phosfight Plus

---

	attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
In case of skin contact	: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
In case of eye contact	: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
If swallowed	: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Probable mucosal damage may contraindicate the use of gastric lavage.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Choose extinguishing media suitable for surrounding materials.
Specific hazards during firefighting	: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Further information	: Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus. Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. For disposal considerations see section 13.
---	--

## GLB Phosfight Plus

---

- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Do not flush into surface water or sanitary sewer system.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.
- Conditions for safe storage : Store in a cool, dry and well ventilated place. Isolate from incompatible materials.  
Do not freeze.
- Materials to avoid : Refer to Section 10, "Incompatible Materials."
- 

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aluminium chloride	7446-70-0	(Respirable fraction.)		ACGIH
		TWA (Respirable fraction.)	1 mg/m <sup>3</sup>	ACGIH
		REL	2 mg/m <sup>3</sup> (as Al)	NIOSH/GUIDE
Sodium hydroxide	1310-73-2		2 mg/m <sup>3</sup>	ACGIH
		Ceil_Time	2 mg/m <sup>3</sup>	NIOSH/GUIDE
		PEL	2 mg/m <sup>3</sup>	OSHA_TRANS
			2 mg/m <sup>3</sup>	Z1A

- Engineering measures** : Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation.  
No exposure limits exist for the constituents of this product.

## GLB Phosfight Plus

---

### Personal protective equipment

Respiratory protection	:	If vapors, mists or aerosols are generated, wear a NIOSH approved respirator.
Hand protection	:	
Remarks	:	Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit is recommended if exposure is possible to a large portion of the body.
Eye protection	:	Chemical resistant goggles must be worn. Face-shield
Skin and body protection	:	Impervious clothing
Protective measures	:	Ensure that eyewash stations and safety showers are close to the workstation location.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear with white sediment
Odour	:	no data available
Odour Threshold	:	no data available
pH	:	approximately 2.8
Melting point/freezing point	:	no data available
Boiling point/boiling range	:	no data available
Flash point	:	no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available

## GLB Phosfight Plus

---

Relative density	:	1.1177
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available

---

### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Product will not undergo hazardous polymerization.
Conditions to avoid	:	High temperatures Avoid freezing.
Incompatible materials	:	Oxidizing agents Bases

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Acute oral toxicity	:	LD50: > 5,000 mg/kg
Acute inhalation toxicity	:	Remarks: no data available
Acute dermal toxicity	:	LD50: > 5,000 mg/kg

#### Skin corrosion/irritation

Remarks: Causes skin burns.

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

#### Carcinogenicity

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### OSHA

No component of this product present at levels greater than or

## GLB Phosfight Plus

---

	equal to 0.1% is on OSHA's list of regulated carcinogens.
<b>NTP</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
<b>ACGIH</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Persistence and degradability

no data available

#### Bioaccumulative potential

#### Components:

#### Aluminium chloride:

Partition coefficient: n-octanol/water : Remarks: Not applicable

#### Sodium hydroxide:

Partition coefficient: n-octanol/water : Remarks: Not applicable

#### Mobility in soil

no data available

#### Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : There is no data available for this product.

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : If this product becomes a waste, it will be a nonhazardous waste.  
As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

## GLB Phosfight Plus

---

### SECTION 14. TRANSPORT INFORMATION

#### DOT

**UN number** : 3264  
**Proper shipping name** : Corrosive liquid, acidic, inorganic, n.o.s.  
(aluminium chloride)  
**Transport hazard class** : 8  
**Packing group** : III  
Labels : 8  
Emergency Response Guidebook  
Number : 154  
**Environmental hazards** : no

#### TDG

**UN number** : 3264  
**Proper shipping name** : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(aluminium chloride)  
**Transport hazard class** : 8  
**Packing group** : III  
Labels : 8  
**Environmental hazards** : no

#### IATA

**UN number** : 3264  
**Proper shipping name** : Corrosive liquid, acidic, inorganic, n.o.s.  
(aluminium chloride)  
**Transport hazard class** : 8  
**Packing group** : III  
Labels : 8  
**Environmental hazards** : no

#### IMDG

**UN number** : 3264  
**Proper shipping name** : Corrosive liquid, acidic, inorganic, n.o.s.  
(aluminium chloride)  
**Transport hazard class** : 8  
**Packing group** : III  
Labels : 8  
EmS Number 1 : F-A  
EmS Number 2 : S-B  
**Environmental hazards** : Marine pollutant: no



## GLB Phosfight Plus

---

### ADR

**UN number** : 3264  
**Proper shipping name** : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
 (aluminium chloride)  
**Transport hazard class** : 8  
**Packing group** : III  
 Classification Code : C1  
 Hazard Identification Number : 80  
 Labels : 8  
**Environmental hazards** : no

### RID

**UN number** : 3264  
**Proper shipping name** : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
 (aluminium chloride)  
**Transport hazard class** : 8  
**Packing group** : III  
 Classification Code : C1  
 Hazard Identification Number : 80  
 Labels : 8  
**Environmental hazards** : no

**Special precautions for user** :  
 49CFR/IMDG: Packages with inner packaging less than 5L and gross weight under 30kg may ship under the Limited Quantity Exception.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not applicable

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 311/312 Hazards



## GLB Phosfight Plus

See above: SECTION 2. Hazard Identification-GHS Classification

### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Components	CAS-No.	Concentration
Propane-1,2-diol	57-55-6	0.01 - 0.1 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

### Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Components	CAS-No.	Component RQ (lbs)
Sodium hydroxide	1310-73-2	1000

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Components	CAS-No.	Concentration
Sodium hydroxide	1310-73-2	0.5 - 1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## US State Regulations

### Massachusetts Right To Know

Components	CAS-No.
Aluminium chloride	7446-70-0

### Pennsylvania Right To Know

Components	CAS-No.
Aluminium chloride	7446-70-0



## GLB Phosfight Plus

Lanthanum chloride, anhydrous	10099-58-8
-------------------------------	------------

### New Jersey Right To Know

Components	CAS-No.
Aluminium chloride	7446-70-0
Lanthanum chloride, anhydrous	10099-58-8
Oxirane, 2-methyl-, polymer with oxirane, mono(octylphenyl) ether, branched	70955-69-0

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### Canadian lists

#### NPRI

Canadian National Pollutant Release Inventory (NPRI): No component is listed on NPRI.

#### The components of this product are reported in the following inventories:

TSCA : Listed on TSCA

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH : US. ACGIH Threshold Limit Values  
NIOSH/GUIDE : US. NIOSH: Pocket Guide to Chemical Hazards, as amended  
OSHA\_TRANS : US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)  
Z1A : US. OSHA Table Z-1-A (29 CFR 1910.1000)

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory;

## GLB Phosfight Plus

---

LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 2021.09.23

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN